### PINCODE BASED SHIPPING & COD

Advance checking of pin codes is a great feature. Online shoppers usually like knowing the timeline of their orders before they place an order. With this extension you can tell them about the delivery dates of your products before they move towards the buying stage. This will reduce your cart abandonment rates and increase your customer satisfaction rates.

With this extension you can tell them about the delivery dates of your products before they move towards the buying stage.

#### Features

1. NEW! Option to enable or disable Pincode Popup.

2. NEW! Option to upload Popup-icon image of your choice.

3. NEW! Various Styling Options (background overlay color or opacity, button text or

color etc.) available, to set the popup style as per your choice.

4. NEW! Option to set time-span (in seconds), after which the popup appears on the loaded page.

5. Can upload the pin codes sheet from the backend (only in CSV format)

6. CSV sheet format is – Pincode: City: State: Delivery within days: Cash on delivery :

Saturday: Sunday


- 7. Can have COD verification based on pin codes
- 8. Can display the delivery dates on product page and Checkout page
- 9. Can keep the delivery service off for Saturdays and Sundays
- 10. Customers can check pin codes for shipping on product and checkout page
- 11. Delivery dates are shown based on the pin codes
- 12. Add to cart will only be enabled when pincode is verified.

#### Installation

You just need to move folder content (i.e. app, js, skin) and package.xml into corresponding folder in magento root.

#### \*NOTE\*

If you are using Custom theme then you have to copy the frontend files into that theme folder instead of "default" folder



After moving both the folder, flush the cache from magento admin module. Under System > Cache Management.

Cache Type     Description     Cache Storage     Associated Tags     Status       Configuration     System(configurati, local.xml) and modules configuration files(configurati).     CONFIG     Consider Tags       Layouts     Layoutbuilding instructions.     LAYOUT_GENERAL_CACHE_TAG     Cass       Blocks HTML output     Page blocks HTML.     BLOCK_HTML     Cass       Translations     Translation files.     Translation files.     Translation files.	Management Q Rush Magenio Cache Q Rush	
Select All Select Valle   Unselect Visible   8 items selected       Then click on Flush       Actions Refresh         Cache Type       Description       Cache Storage       Associated Tags       Status         Configuration       System(config.xml,local.xml) and modules configuration files(config.xml).       CONFIG       Massociated Tags         Layouts       Layoutbullding instructions.       LAYOUT_GENERAL_CACHE_TAG       Massociated Tags         Blocks HTML output       Page blocks HTML.       BLOCK_HTML       Massociated Tags         Translations       Translation files.       Translation files.       Translation files.	The second	Cache Stora
Click on Select All         Select All   Select Visible   Unselect Visible   & items selected       Then click on Flush       Actions Refresh         Cache Type       Description       Cache Storage       Associated Tags       Status         2 Configuration       System(config.xml, local.xml) and modules configuration files(config.xml).       CONFIG       Massociated Tags         2 Layouts       Layout building instructions.       LAYOUT_GENERAL_CACHE_TAG       Massociated Tags         2 Blocks HTML output       Page blocks HTML.       BLOCK_HTML       Massociated Tags         2 Translations       Translation files.       TRANSLATE       Massociated Tags	The second	cache stora
Number     Number     Number     Number     Number     Actions     Refresh       Cache Type     Description     Associated Tags     Status       Configuration     System(config.xml, local.xml) and modules configuration files(config.xml).     CONFIG     Rassociated Tags       2 Configuration     System(config.xml, local.xml) and modules configuration files(config.xml).     CONFIG     Rassociated Tags       2 Layouts     Layout building instructions.     LAYOUT_GENERAL_CACHE_TAG     Rassociated Tags       2 Blocks HTML output     Page blocks HTML.     BLOCK_HTML     Rassociated Tags       3 Translations     Translation files.     TRANSLATE     Rassociated Tags		
Cache Type     Description     Cache Storage     Associated Tags     Status       2 Onfiguration     System(config.xml, local.xml) and modules configuration files(config.xml).     CONFIG     Consist       2 Layouts     Layoutbuilding instructions.     LAYOUT_GENERAL_CACHE_TAG     Dask       3 Blocks HTML output     Page blocks HTML.     BLOCK_HTML     Dask       4 Translations     Translation files.     TRANSLATE     Dask		
Control pipe         DisplayInto         DisplayInto <thdisplayinto< th=""> <thdisplayinto< th=""></thdisplayinto<></thdisplayinto<>	Gebri Vsule   Olisetti Vsule   Olisetti Sciculeu	-
Layouts     Layout building instructions.     LAYOUT_GENERAL_CACHE_TAG       B Blocks HTML output     Page blocks HTML.     BLOCK_HTML       Translations     Translation files.     TRANSLATE	Description Contraction Passociated rags State	
Blocks HTML output     Page blocks HTML.     BLOCK_HTML     BLOCK_HTML     DLOCK_HTML       Translations     Translation files.     TRANSLATE     DLOCK_HTML		DISABLED
Translations Translation files. TRANSLATE		DISABLED
		DISABLED
		DISABLED
	Collection data files. COLLECTION_DATA	DISABLED
		DISABLED
	a process of contains and the second se	DISABLED
B Web Services Configuration Web Services definition files (apl2.xml). CONFIG_API2	guration Web Services definition files (api2 xml). CONFIG_API2	DISABLED

After Flushing the cache you need to reindex the data from magento admin module. Under System > Index Management.

🎁 Magento <sup>-</sup> Admi	n Panel						Globa	Record Search	Logg	ed in as phoeniixx ∣ Tuesday, Dece	ember 8, 2015   <u>Lo</u> g
Dashboard Sales (	Catalog Customers	Promotions	Newsletter	CMS	Sellermarket	Pincode	Reports	System			Get help for this pa
Latest Message: Reminder: C	Change Magento's default ph	one numbers and c	allouts before site	launch	·	N		You	have 10 critical, 6 major, 19	minor and 136 notice unread messa	ge(s). <u>Go to notificat</u>
Index Management		Click	c on Select	All				Choose	the reindex data	option and then click o	on Submit
Select All   Unselect All   Sele	ect Visible   Unselect Visible	0 items selected	ł							Actions Reindex Data	Submit
Index	Description					Mode		Status	Update Required	Updated At	Action
Product Attributes	Index product attri	butes for layered i	navigation build	ling		Jpdate on Save	Э	READY	NO	Dec 4, 2015 7:31:16 AM	Reindex Data
Product Prices	Index product pric	es				Jpdate on Save	э	READY	NO	Dec 4, 2015 7:31:16 AM	Reindex Data
Catalog URL Rewrites	Index product and	categories URL r	ewrites		1	Jpdate on Save	э	READY	NO	Dec 4, 2015 7:31:16 AM	Reindex Data
Category Products	Indexed category/	products associat	ion			Jpdate on Save	e	READY	NO	Dec 4, 2015 7:31:16 AM	Reindex Data
Catalog Search Index	Rebuild Catalog p	roduct fulltext sea	irch index		1	Jpdate on Save	в	READY	NO	Dec 4, 2015 7:31:16 AM	Reindex Data
Stock Status	Index Product Stor	ck Status				Jpdate on Save	9 1	READY	NO	Dec 4, 2015 7:31:16 AM	Reindex Data
Tag Aggregation Data	Rebuild Tag aggre					Jpdate on Save		READY	NO	Dec 4, 2015 7:31:16 AM	Reindex Data

## Configuration

After the module installation , go to the Pincode tab and configure the Check Pincode/Zipcode for Shipping & COD extension.

We have two mode to add pincode:

- 1) Pincode list
- 2) Add pincode to product

Magento <sup>®</sup> Admin Pa	nel			Global Reco	rd Search	Logged in as phoeniliox   Friday, February 12, 2016   <u>Lon (</u>
ashboard Sales Catalo	g Customers	Promotions N	lewsletter CMS Social Login	Pincode Ajax Login Re	ports System	🕖 Get help for this pag
atest Message: Reminder: Chang	e Magento's default phon	e numbers and callout	s before site launch	Pincode List	You have 11 critical, 6 major, 11	9 minor and 275 notice unread message(s). <u>Go to notification</u>
				Add Pincode By Product 🔫	See the extens	ion in backend
hboard				Settings		
Lifetime Sales		j.	Orders Amounts			
\$	45.00					
						Select Range: Last 24 Hours 💌
Average Orders						
\$	45.00			No	Data Found	
Last 5 Orders						
Customer	Items Gr	and Total				
arun kumar'	1	\$11.00				
arun kumar'	1	\$65.00				
arun kumar'	1	\$45.00				
arun kumar'	1	\$45.00				
Last 5 Search Terms						

By clicking on pincode list we get this page to add pincode in the backend.

Dashboard	Sales	Catalog	Customers	Promotions	Newsletter	CMS	Sellermarket	Pincode	Reports	System			0	Get help for this pa
Latest Mess	age: Reminde	er: Change Mag	ento's default pho	ne numbers and c	allouts before site	launch		-		You have	10 critical, 6 ma	ajor, 19 minor and 136 noti	ce unread mess	age(s). <u>Go to notifica</u> t
Pincodes											Cli	ck it		Add Pinco
ige 🔟 1	of 1 pag	ges   View [	20 🔻 per pa	ge   Total O rec	ords found					📑 Expor	to: CSV	Export	R	eset Filter Sear
				ge   Total 0 rec   0 items selecter						😝 Expor	to: CSV		ions	eset Filter Sear
					d	Delivery Days	rs Ca	sh On Delivery		Delivery On Saturda			ions	

Below screenshots shows how to add pincodes from backend.

Can add pincodes by one by. See the attached image

Add Pincode				
Pincode	110001			
City	delhi			
State	delhi		You can	add pincodes by one by fro
Delivery Days	3		here	
Cash On Delivery	Yes	•		
Delivery On Saturday	On	T		
Delivery On Sunday	On	T		

Also can add pincodes in bulk by uploading the CSV sheet. See the below attached image.

Add Pincode			Back	Reset 🥑 Save Pincode	Save Pincode And Continue Edit
Add Pincode					
Pincode					
City					
State					
Delivery Days					
Cash On Delivery	No	T			
Delivery On Saturday	Off	•			
Delivery On Sunday	Off	•			
		You can upload bulk	of pincode	es by using CSV	
Or Add Pincodes Using CSV			•		
Upload CSV	Choose file No file	chosen			

## See the attached image to see the pincodes list

					pi	incode list will show	like this		
ige 🔣 1	. of 1	pages   View	20 v per pag	e   Total 2 records	found	/	Export to: CSV	<ul> <li>Export</li> </ul>	Reset Filter Sear
Select All	Unselect All	Select Visible	Unselect Visible	0 items selected				Actions	▼ Submit
	ID †	Pincode	State	City	Delivery Days	Cash On Delivery	Delivery On Saturday	Delivery On Sunday	Action
Any ▼	ID †	Pincode	State	City	Delivery Days	Cash On Delivery	Delivery On Saturday	Delivery On Sunday	Action
Any 🔻		Pincode	State	City delhi	Delivery Days	Cash On Delivery Yes	Delivery On Saturday  Ves	Delivery On Sunday Yes	Action Edit

Can add pincodes on a particular product also.

🍿 Mager	nto <sup>-</sup> Admin Panel			Global Record Search	Logged in as phoen	iixx   Friday, February 12, 2016   <u>Log Out</u>
		Customers Promotions Newslett	er CMS Social Login Pincor	de Ajax Login Reports System		③ Get help for this page
🕕 Latest Messa	<mark>ge:</mark> Reminder: Change Mag	ento's default phone numbers and callouts before	site launch	You have 11 critical,	6 major, 19 minor and 275 not	tice unread message(s). Go to notifications
Product Ba	ase Pincode					
Page 🕢 1	of 1 pages   View	20 💌 per page   Total 16 records found			click here to add pin	code individually on each item Reset Filter Search
ID	Image	Name	SKU		QTY	Action
		simple1	simple1		49	Add pincode
	2	simple 2	simple2		77	Add pincode
	3	config	config		0	Add pincode
	4	virtual default	virtualdefault		2	Add pincode
	5	virtual attribute	virtualattribute		2	Add pincode
	6	seller virtual default	sellervirtualdefault		2	Add pincode
	<b>luct Base Pin</b> o Base Pincode	code	Back Reset	Delete Pincode     Save Pi	ncode 📀 Save	Pincode And Continue Edit
Data	Base Pincode	110004,delhi,delhi,3,0,0, ,1,1,1	0,1#110003,delhi,delhi,4,1	Click on th	his after addir	ng pincodes
				You can add t but should be		
		pincode,city,state,DOD,COD On Sunday#pincode	,Delivery On Saturday,Delivery			
Or Add Pinco	des Using CSV					
Upload CSV	r	Choose file No file c	hosen			

# **General Settings**

#### **Pincode Settings**

eneral		
Enable check pincode in category page	Yes	[STORE VIEW]
JQuery Enabled	No	[STORE VIEW]
Change Delivery Text	-	[STORE VIEW]
Delivery Text	▲ Default: Show Delivery Date.	[STORE VIEW]
Check Availability Text	Check Availability at	[STORE VIEW]
Empty Textbox Error Text	Default: Check availability at.      Please Enter a valid Pincode	[STORE VIEW]
If Not Check Pincode Error Text	Default: Please Enter a valid Pincode.  Please check pincode	[STORE VIEW]
	Default: Please check pincode.	looke nent
Save Address Error Text	Save Address Pincode not match	[STORE VIEW]
Not Available Text	No delivery option with this Pincode	[STORE VIEW]
Cash On Delivery Text	Default: No delivery option with this Pincode.  Cash On Delivery	[STORE VIEW]
out on bointing toxe	Default: Cash On Delivery.	
Delivery Date Text	Delivered By	[STORE VIEW]

Save Config

opup Style		
Enable Popup	Yes	[STORE VIEW]
	A Enable Popup In Home Page	
Enable Close Button	Yes 🔻	[STORE VIEW]
	Enable Popup Close Button	
Popup Image	Choose file No file chosen	[GLOBAL]
	A Popup image icon	
Popup Title	Get item availability info and delivery time for your k	[STORE VIEW]
	Default: Get item availability info and delivery time for your location.	
Show Popup After Load Page	1	[STORE VIEW]
Time	▲ In Second.	
Button Name	SUBMIT	[STORE VIEW]
	▲ Default: SUBMIT.	
Change Button Background Color	#202121	[STORE VIEW]
Change Button Text Color	#fffcfc	[STORE VIEW]
Change Button Border Color		[STORE VIEW]
Change Popup Background	#ccc	[STORE VIEW]
Overlay Color		
Change Popup Background	0.75	[STORE VIEW]
Overlay Opacity	Less than or equal to 1	
Change Popup Background Color	#fff	[STORE VIEW]

Below screenshots shows how module is shown in Popup.

	$\times$
0	
Get item availability info and delivery time for your location	1
Enter Pincode SUBMIT	

Below screenshots shows how module is shown on Product Page.

Magento <sup>®</sup>	-	ACCOUNT CART
DEMO	Search entire	store nere
HOME / DEMO / PRODUCT BASED PINCODE		
11 12 1 -9 -8 -5 -5 -5	PRODUCT BASED PINCODE IN STOCK Cash on Delivery Available – 110003 Cash on Delivery not Available – 110004 (It will hide the CO	\$1,000.00
	Check Availability at: 110003 CH	ЕСК

After entering pincode the information will show like the below image.

